

PRODUCTS

Pigments The pigment chart contains over four hundred colors, some of which may not be in stock. Most of the products available in the 'P' series are also available in the 'E' series.

Because actual color and web representations of color will vary, an actual sample must be approved before purchasing foil. Contact us for samples.

The following description serves as a general guideline for selection of our most popular product lines. Other product types are also available. Actual variations may vary as there are many variables in foil stamping. Samples should be tested prior to purchase. Please see our disclaimer for important information.

PRODUCT SERIES	TYPICAL SUBSTRATES	RUBBER DIE	METAL DIE
P	PS, PP, PE	350-450°F	275-375°F
E	PS, ACRYLIC, GRAPHIC	300-450°F	200-375°F
K	PS	350-425°F	275-375°F
D (matte)	GRAPHICS		200-300°F
M (miscellaneous)	VARIOUS	VARIOUS	VARIOUS

Metallics- Silvers, golds, and metallic colors. These are available for graphic and plastic applications. Because these shades are impossible to reproduce these shades on the web, you need a color chart or a sample. The following description serves as a general guideline for product selection. Actual variations may vary as there are many variables in foil stamping. Samples should be tested prior to purchase. Please see Disclaimer for important information.

PRODUCT SERIES	TYPICAL SUBSTRATES	RUBBER DIE	METAL DIE
GF, GD	GRAPHICS		200-300°F
GF	PS	300-375°F	250-325°F
GL	PP, PE	350-425°F	300-350°F
AP, PP	PS, PP, PE	350-500°F	300-400°F
AL, PL	PP, PE	350-500°F	300-400°F
AF, PE	ACRYLICS, PC	400-500°F	300-400°F

PS- polystyrenes and similar copolymers

PP- polypropylene

PE- polyethylene

PC- polycarbonate